

MATERIAL SAFETY DATA SHEET

Grout Restore 60

Page 1 of 3

Hazardous according to the criteria of Worksafe Australia.

Section 1: Supplier Information

Company Details:	Applied Products Australia 11 Gamma Close Beresfield NSW 2322 Phone: +612 4966 5516 Fax: +612 4966 5510
Emergency Telephone No:	Tel: +612 4966 5516 Tel: 131 126 Poisons Information Centre
Date of MSDS Preparation:	October 2008

Section 2: Identification

Product Name:	Grout Restore 60
Product Code:	AP159
UN Number:	1760
Dangerous Goods Class and Subsidiary Risk:	8 Corrosive
Proper Shipping Name:	Corrosive Liquid N.O.S.
Hazchem Code:	2X
Poisons Schedule No:	6
Use:	Tile and Grout restoration cleaner.

Section 3: Physical Description and Properties

Appearance:	Green/Blue Liquid.
Boiling Point:	Not available
Vapour Pressure:	Not available
Specific Gravity:	1.2
Flashpoint:	Not Relevant
Flammability Limits:	Not Relevant
Solubility in Water:	Completely soluble

OTHER PROPERTIES

Corrosiveness:	Corrosive to non-ferrous metals.
Reactivity:	Will react with oxidizing agents and alkalis.
pH:	<1.0 (conc.)

INGREDIENTS

All hazardous substances as defined by the NOHSC code 1008 are listed by chemical name and CAS No. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous."

CHEMICAL NAME	CAS No.	PROPORTION
Phosphoric Acid	7664-38-2	60%
Surfactants & non-hazardous ingredients		to 100%

Product Name Grout Restore 60

Section 4: Health Hazard Information

HEALTH EFFECTS

ACUTE

Swallowed:	Will cause burns to the mouth, throat and stomach with effects including mucous build-up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhea.
Eye:	Will cause severe irritation and possible burns to the eyes with effects including: tearing, pain, corneal opacity and blurred vision.
Skin:	Will cause irritation to the skin, with effects including; redness, itching and drying/defatting.
Inhaled:	Mists from the product may cause irritation to the nose, throat and respiratory system with effects including; coughing, discomfort, breathing difficulty and shortness of breath.

CHRONIC

Prolonged or repeated skin contact may lead to dermatitis.
Prolonged eye contact may cause permanent eye damage.

Section 5: First Aid

FIRST AID

Swallowed:	If poisoning occurs, immediately contact a doctor or a Poisons Information Centre Tel 131 126 . Do NOT induce vomiting. Give 3 glasses of water.
Eyes:	In case of contact with eyes, flush immediately under running water (ensure eyelids are held open) for 15 minutes or until told to stop by a doctor or Poisons Information Centre. Immediately contact a doctor.
Skin:	Remove contaminated clothing immediately and wash skin thoroughly with soap and water. Seek medical advice if irritation persists.
Inhaled:	Remove from contaminated area. Apply artificial respiration if not breathing.
First Aid Facilities:	Eye wash. Normal washroom facilities.
Advice to doctor:	Treat symptomatically.

Section 6: Precautions for Use

Exposure Standards:	No exposure standards have been assigned to this product. However the exposure standards for the ingredient Phosphoric Acid are: Phosphoric Acid TWA: 1mg/m ³ STEL: 3mg/m ³
Engineering Controls:	Avoid areolising. Maintain adequate ventilation at all times. Maintain adequate ventilation at all times.
Personal Protection Equipment:	Gloves and apron: NBR or nitrile Goggles – wear chemical goggles Respiratory Protection – Not normally required. If used in confined spaces, select and use respirators in accordance with AS/NZS 1715/1716. The use of half-face P1 (dust/mist) respirator with replaceable filters is recommended.
Flammability:	Not flammable or combustible.

Product Name: Grout Restore 60

Section 7: Safe Handling Information

Storage & Transport:	Store and transport according to the requirements of the Australian Dangerous Goods Code for Transport. Store in a cool place and out of direct sunlight. Store away from strong acids. Store away from possible contact with non-ferrous metals. Keep container sealed when not in use. Store locked up and out of reach of children. Only store in the original container as supplied by the manufacturer.
Spills and Disposals:	Large Spills - Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labeled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle. Small Spills – Flush away with copious amounts of water.
Fire/Explosion Hazard:	Use dry chemical, foam or water fog. Wear full body protective clothing with self contained breathing apparatus (SCBA) and protective gloves. Prevent by any means available to prevent any spillage entering a watercourse.

Section 8: Stability and Reactivity

Stability:	Stable under normal conditions of use.
Hazardous Decomposition Products:	May decompose forming phosphorous oxide.
Hazardous Polymerization:	Will not occur.
Incompatibilities:	Alkalis, oxidizing agents, reducing agents, non-ferrous metals, tin and zinc.
Conditions to avoid:	Incompatibilities and excessive heat.

Section 9: Toxicological and Ecological Information

Toxicological Information:	There is no toxicological information for the product Grout Restore 60, however for the ingredient Phosphoric Acid:	
	Phosphoric Acid	
	Inhale LC50 Rabbit: 1689mg/L	Oral LD50 Rat: 1530mg/kg
	Skin LD50 Rabbit: 2740mg/kg	Dermal Rabbit: 595mg/24hr (severe skin irritation)
	Eye Rabbit: 119mg/24hr	(eye rabbit)
Ecological Information:	For the ingredient Phosphoric Acid:	
	Fish LC50 96hr: 3-3.5mg/L	Can be harmful to organisms that live in the water.

Section 10: Other Information

Contact Point:	Chief Technician Tel 1300 701 711
	Poisons Information Centre Tel 131 126

Note: This Material Safety Data Sheet has been compiled in accordance with the Worksafe code for the Preparation of Material Safety Data Sheets.

DISCLAIMER All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of Applied Products Australia and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Product Name: Grout Restore 60